Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	936	hash\$ near4 (secure)and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 12:22
L2	659	hash\$ near4 (secure)and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and ("380"/\$. ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 12:23
L3	142	hash\$ near4 (secure)and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and ("380"/\$. ccls. "713"/\$.ccls.) not "secure hash"	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 14:54
L4	11	password same hash\$ near4 (secure)and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and ("380"/\$. ccls. "713"/\$.ccls.) not "secure hash"	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 12:26
L5	220	hash\$ near4 password and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 12:29
L6	54	hash\$ near4 password and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")and windows	US-PGPUB; USPAT; EPO	OR	OFF .	2004/12/25 12:29
L7	22	hashed near4 password and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")and windows	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 12:29
L8	13	hashed adj2 password and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")and windows	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 14:24
L9	3	hashed adj2 passwords and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")and windows	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 12:30
L12	14	hashed adj2 password\$1 and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")and unix	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 13:45
L15	1	"20020095590".pn. and (without adj decrypt\$3)	US-PGPUB; USPAT; EPO	OR ·	OFF	2004/12/25 14:05

L17	83	hash with (CBC cypher adj chain\$3 adj block)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 14:24
L18	57	(hash\$3 with (CBC cypher adj chain\$3 adj block)) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 14:27
L19	233	(hash\$3 with DES) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 14:29
L20	28	(hash\$3 with DES with (CBC cypher adj block\$3 adj chain)) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 14:30
L27	1	(peer adj1 peer with network\$1). ab. and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and ("380"/\$. ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 14:59
L28	0	(peer adj to adj peer with network\$1).ab. and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and ("380"/\$. ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR .	OFF	2004/12/25 14:59
L29	811	revers\$3 with order with (character\$1 letter\$1 string\$1) and (@ad<"20010117" or @rlad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 15:48
L30	30	remov\$3 with (character\$1 letter\$1 string\$1) same revers\$3 with order with (character\$1 letter\$1 string\$1) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 15:49
L31	30	(eliminat\$3 replac\$3 erras\$3 erraz\$3 (taking take takes taken) adj out get\$3 adj rid adj off) with (character\$1 letter\$1 string\$1) same revers\$3 with order with (character\$1 letter\$1 string\$1) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 16:29

L32	115	(eliminat\$3 replac\$3 erras\$3 erraz\$3 (taking take takes taken) adj out get\$3 adj rid adj off) with (character\$1 letter\$1 string\$1) same (rearrang\$3 (revers\$3 chang\$3) with order) with (character\$1 letter\$1 string\$1) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 16:29
L35	37	(eliminat\$3 replac\$3 erras\$3 erraz\$3 (taking take takes taken) adj out get\$3 adj rid adj off) with (character\$1 letter\$1 string\$1) same revers\$3 with order with (character\$1 letter\$1 string\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 16:29
L36	25	(eliminat\$3 replac\$3 erras\$3 erraz\$3 (taking take takes taken) adj out get\$3 adj rid adj off) with (character\$1 letter\$1 string\$1) same (rearrang\$3 (revers\$3 chang\$3) with order) with (character\$1 letter\$1 string\$1) not L32	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 16:30
L37	705	(eliminat\$3 replac\$3 erras\$3 erraz\$3 (taking take takes taken) adj out get\$3 adj rid adj off) with (character\$1 letter\$1 string\$1) and (rearrang\$3 (revers\$3 chang\$3) with order) with (character\$1 letter\$1 string\$1) not (L32 L33)	US-PGPUB; USPAT; EPO	OR .	OFF	2004/12/25 16:31
L39	620	(eliminat\$3 replac\$3 erras\$3 erraz\$3 (taking take takes taken) adj out get\$3 adj rid adj off) with (character\$1 letter\$1 string\$1) and (rearrang\$3 (revers\$3 chang\$3) with order) with (character\$1 letter\$1 string\$1) not (L32 L33) and (@ad<"20010117" or @rlad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 17:08
S1	839	hash\$ same (file directory folder) same (identifier name ID) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/25 12:21
<b>S2</b>	151	(encrypt\$3 encod\$3 cypher) same hash\$ same (file directory folder) same (identifier name ID) and (@ad<"20010117" or @rlad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 13:03

<b>S3</b>	82	(encrypt\$3 encod\$3 cypher) same hash\$ same (file directory folder) with (identifier name ID) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 13:04
S4	31	(encrypt\$3 encod\$3 cypher) same hash\$ with (file directory folder) with (identifier name ID) and (@ad<"20010117" or @rlad<"20010117")  @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:12
S5	153	(encrypt\$3 encod\$3 cypher) with hash\$ with (file directory folder) and (@ad<"20010117" or @rlad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 13:28
S6	14	((encrypt\$3 encod\$3 cypher) with hash\$ with (file directory folder)). ab. and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 13:29
S7	45	(check\$3 verif\$3 confirm\$) with (syntax syntatic\$3).ab. and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 13:32
S8	1066	(check\$3 verif\$3 confirm\$) with (syntax syntatic\$3) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not S7	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 13:32
S10	106	(check\$3 verif\$3 confirm\$) with (syntax syntatic\$3)with (file\$1 director\$2 folder\$1) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not \$7	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 15:30
S11	127	(hash\$3 with (file directory folder) adj name\$1) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not S7	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 16:19
S12	36	(hash\$3 near3 (file directory folder) adj name\$1) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not S7	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 16:20
S13	1	"5588147".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 17:06

				00	055	2004/42/22 := ==
S19	46	(hash\$3 near5 (file directory folder) adj name\$1) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not S7	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 17:58
S20	1	"5307494".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 17:23
S21	1	(Naming ADJ (File\$1 and Director\$3))	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 17:23
S22	827	(name with syntax) and (@ad<"20010117" or @rlad<"20010117" or	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 19:13
		@prad<"20010117")	2.0			
S23	11	(name with syntax).ab. and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 17:59
S24	85	(naming with syntax) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/22 19:13
S25	19	(file with naming with syntax) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 12:07
S26	1258	(syntax) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and "717"/\$. ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 12:08
S27	26652	(syntax) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and "717"/141, 162\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 12:08
S28	109	(syntax) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and "717"/141,162.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 12:10
S29	33	(name same syntax) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and "717"/141,162.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 12:48
S30	0	(valid\$3 with (character\$1 string\$1) same syntax) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and "717"/141,162.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 13:25

S31	5	(valid\$3 with (character\$1	US-PGPUB;	OR	OFF	2004/12/23 13:22
		string\$1)) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and "717"/141,162.ccls.	USPAT; EPO		<b>.</b>	200 1, 12, 20 10122
S32	199	((character\$1 string\$1)) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and "717"/141,162.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 16:35
S33	2	(valid\$3 with (character\$1 string\$1) same syntax) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and "717"/141,142,143,144,145,146, 147,148,149,150,151,152,153,154, 155,156,157,158,159,160,161,162. ccls.	US-PGPUB; USPAT; EPO	OR `	OFF	2004/12/23 13:30
S34 ·		(remov\$3 with(character\$1 string\$1) same syntax) and (@ad<"20010117" or @rlad<"20010117") or @prad<"20010117") and "717"/141,142,143,144,145,146, 147,148,149,150,151,152,153,154, 155,156,157,158,159,160,161,162. ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 13:38
S35	104	((remov\$3 replac\$3 chang\$3) with(character\$1 string\$1)) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and "717"/141,142,143,144,145,146, 147,148,149,150,151,152,153,154, 155,156,157,158,159,160,161,162. ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 13:38
S36	32	((special valid invalid reserved) with (name\$1 command\$1 string\$1 character\$)) and ((remov\$3 replac\$3 chang\$3) with(character\$1 string\$1)) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and "717"/141,142,143,144,145,146, 147,148,149,150,151,152,153,154, 155,156,157,158,159,160,161,162. ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 13:55
S37	1	"20020095590".pn. and particular adj character	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 21:01

S38		(hash\$3 with safer with secure) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and "717"/141,162.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 16:36
S39 ,	0	(hash\$3 with name with secure) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") and "717"/141,162.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 16:36
S40	17	(hash\$3 with name with secure) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 16:37
S41	4	(hash\$3 with safer with secure) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 16:36
S42	17	(hash\$3 with name with secure) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not S41	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 16:40
S43	0	(hash\$3 same name with easier with secure) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not S41	US-PGPUB; USPAT; EPO	OR .	OFF	2004/12/23 16:40
S44	0	(name same hash\$3 with easier with secure) and (@ad<"20010117" or @rlad<"20010117") not S41	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 16:40
S45	11	(secur\$3 same file adj name same hash\$3) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not S41	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 16:41
S46	1	filename with hash with security	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:12
S47	41	name with hash with security	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:12
S48	17	(name with hash with security) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:16
S49	1447	(hash with secur\$3) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not S48	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:16

						<del>-</del>
S50	103	((identifier id name filename) with hash with secur\$3) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not S48	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:17
S51	35	((identifier id name filename) near4 hash near4 secur\$3) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not \$48	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:25
S52	11	((identifier id name filename) near4 hash) same (hash near4 secur\$3) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not (S48 S51 secure adj hash)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:29
S53	141	(password near4 hash) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not (S48 S51 secure adj hash)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 19:03
S54	7	(password near4 hash).ab. and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not (S48 S51 secure adj hash)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:36
S55	45	(password near4 hash same secur\$3) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not (S48 S51 secure adj hash)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:54
S56	2	(password near4 hash same secur\$3) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117") not (not S54)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:36
S57	2878169	("58" case insensitive)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:54
S58	3	("58" adj case adj insensitive)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 18:56
S59	7	(systems with case adj insensitive)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 19:02
S60	62	(search with case adj insensitive)	US-PGPUB; USPAT; EPO	OR .	OFF	2004/12/23 19:02
S61	28	(search with case adj insensitive) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 20:16

S63	0	((usability friendl\$4) with case adj1 insensitive) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 20:18
S64	0	((usability friendl\$4) same case adj1 insensitive) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 20:19
S65	1	((remember\$3 memoriz\$3) same case adj1 insensitive) and (@ad<"20010117" or @rlad<"20010117" or @prad<"20010117")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 20:19
S66	1	"20020095590".pn. and ASCII	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/23 21:17